

TOOLBOX SAFETY TRAINING

Company _____ Location _____ Date _____

Vol 17 - No 3 MATERIAL BLOCKING EMERGENCY EXITS

Emergency exits must be clearly marked, well lit and unobstructed. Practice good housekeeping around emergency exits. These areas must be kept free of any material or obstacle that could block a person from access to the exit in case of emergency.

All workers must be trained on the emergency evacuation plan for the work place. During periodic safety meetings, discuss the location of emergency exits with all workers. During an emergency, the lighting may be poor in some areas, so prior knowledge of exit locations can save your life.

Remember:

- The key to a safe evacuation is being prepared.
- Make your exits stand out with well-lit exit signs.
- Develop an emergency evacuation plan and communicate with all employees.



1926.34 MEANS OF EGRESS

1926.34(a) In every building or structure exits shall be so arranged and maintained as to provide free and unobstructed egress from all parts of the building or structure at all times when it is occupied. No lock or fastening to prevent free escape

from the inside of any building shall be installed except in mental, penal, or corrective institutions where supervisory personnel is continually on duty and effective provisions are made to remove occupants in case of fire or other emergency.

1926.34(c) Maintenance and workmanship. Means of egress shall be continually maintained free of all obstructions or impediments to full instant use in the case of fire or other emergency.

TOOLBOX SAFETY TRAINING

Company _____ Location _____ Date _____

Vol 17 - No 3 MATERIAL BLOCKING EMERGENCY EXITS

Emergency exits must be clearly marked, well lit and unobstructed. Practice good housekeeping around emergency exits. These areas must be kept free of any material or obstacle that could block a person from access to the exit in case of emergency.

All workers must be trained on the emergency evacuation plan for the work place. During periodic safety meetings, discuss the location of emergency exits with all workers. During an emergency, the lighting may be poor in some areas, so prior knowledge of exit locations can save your life.

Remember:

- The key to a safe evacuation is being prepared.
- Make your exits stand out with well-lit exit signs.
- Develop an emergency evacuation plan and communicate with all employees.



1926.34 MEANS OF EGRESS

1926.34(a) In every building or structure exits shall be so arranged and maintained as to provide free and unobstructed egress from all parts of the building or structure at all times when it is occupied. No lock or fastening to prevent free escape

from the inside of any building shall be installed except in mental, penal, or corrective institutions where supervisory personnel is continually on duty and effective provisions are made to remove occupants in case of fire or other emergency.

1926.34(c) Maintenance and workmanship. Means of egress shall be continually maintained free of all obstructions or impediments to full instant use in the case of fire or other emergency.